

LED Bulbs

The widest family in the catalogue: forty-nine retrofit lamps that go into a fitting already on the wall, from 1.8W decorative filament to 12W Wi-Fi bulbs with colour and white tuning.

49 references. Every figure below is reproduced from the manufacturer's own documentation for that reference; where a table is absent, no specification was published.

12W LED Globe Bulb - P/N CRBU-360-04

LED Bulbs

Power Consumption	12W
Light Source	SMD2835 0.5W 28PCS
Luminous Flux	1000~1100lm
Type	Non-dimmable
Input Voltage	AC:85-264V
Color Rendering Index	Ra>85
Beam Angle	360°
Size	Ø80*167mm
Color Temperature	2600~2850K
Lamp Base	E26/E27/B22
Base Color	Silver/ Golden/ Black
Material of Housing	Aluminum & Iron
Lamp Cover	Clear/ Milky White/ Frosted
Life Span	50,000 Hours
Operating Temperature	0°C to 45°C
Humidity	10~85%

3W LED Candle Lamp - P/N CRCD-360-01

LED Bulbs

Power Consumption	3W
Light Source	SMD3014 0.2W 12PCS
Luminous Flux	210~240lm
Type	Non-dimmable or Dimmable
Input Voltage	AC:85~264V
Color Rendering Index	Ra>85
Beam Angle	360°
Size	37*120mm For E27
Color Temperature	2600~2850K
Lamp Base	E14/ E27
Base Color	Silver/ Golden/ Black
Material of Housing	Aluminum & Iron
Lamp Cover	Clear/ Milky White/ Frosted
Life Span	50,000 Hours
Operating Temperature	0°C to 45°C
Humidity	10~85%

3W LED Flame Tip Lamp - P/N CRCD-360-02

LED Bulbs

Power Consumption	3W
-------------------	----

Light Source	SMD3014 0.2W 12PCS
Luminous Flux	210~240lm
Type	Non-dimmable or Dimmable
Input Voltage	AC:85~264V
Color Rendering Index	Ra>85
Beam Angle	360°
Size	37*130mm For E27
Color Temperature	2600~2850K
Lamp Base	E14/ E27
Base Color	Silver/ Golden/ Black
Material of Housing	Aluminum & Iron
Lamp Cover	Clear/ Milky White/ Frosted
Life Span	50,000 Hours
Operating Temperature	0°C to 45°C
Humidity	10~85%

3W LED Globe Bulb - P/N CRBU-360-01

LED Bulbs

Power Consumption	3W
Light Source	SMD3014 0.2W 12PCS
Luminous Flux	210~240lm
Type	Non-dimmable or Dimmable
Input Voltage	AC:85~264V
Color Rendering Index	Ra>85
Beam Angle	360°
Size	■ 40*92mm/ ■ 45*95mm For E27
Color Temperature	2600~2850K
Lamp Base	E14/E26/ E27/B22
Base Color	Silver/ Golden/ Black
Material of Housing	Aluminum & Iron
Lamp Cover	Clear/ Milky White/ Frosted
Life Span	50,000 Hours
Operating Temperature	0°C to 45°C
Humidity	10~85%

4W LED Candle Lamp - P/N CRCD-360-03

LED Bulbs

Power Consumption	4W
Light Source	SMD3014 0.2W 18PCS
Luminous Flux	310~360lm
Type	Non-dimmable or Dimmable
Input Voltage	AC:85~264V
Color Rendering Index	Ra>85
Beam Angle	360°
Size	37*120mm For E27
Color Temperature	2600~2850K
Lamp Base	E14/ E27
Base Color	Silver/ Golden/ Black

Material of Housing	Aluminum & Iron
Lamp Cover	Clear/ Milky White/ Frosted
Life Span	50,000 Hours
Operating Temperature	0°C to 45°C
Humidity	10~85%

4W LED Flame Tip Lamp - P/N CRCD-360-04

LED Bulbs

Power Consumption	4W
Light Source	SMD3014 0.2W 18PCS
Luminous Flux	310~360lm
Type	Non-dimmable or Dimmable
Input Voltage	AC:85~264V
Color Rendering Index	Ra>85
Beam Angle	360°
Size	37*130mm For E27
Color Temperature	2600~2850K
Lamp Base	E14/ E27
Base Color	Silver/ Golden/ Black
Material of Housing	Aluminum & Iron
Lamp Cover	Clear/ Milky White/ Frosted
Life Span	50,000 Hours
Operating Temperature	0°C to 45°C
Humidity	10~85%

6W LED Candle Lamp - P/N CRCD-360-05

LED Bulbs

Power Consumption	6W
Light Source	SMD3014 0.2W 30PCS
Luminous Flux	510~560lm
Type	Non-dimmable or Dimmable
Input Voltage	AC:85~264V
Color Rendering Index	Ra>85
Beam Angle	360°
Size	■ 37*124mm For E27
Color Temperature	2600~2850K
Lamp Base	E14/ E27
Base Color	Silver/ Golden/ Black
Material of Housing	Aluminum & Iron
Lamp Cover	Clear/ Milky White/ Frosted
Life Span	50,000 Hours
Operating Temperature	0°C to 45°C
Humidity	10~85%

6W LED Flame Tip Lamp - P/N CRCD-360-06

LED Bulbs

Power Consumption	6W
-------------------	----

Light Source	SMD3014 0.2W 30PCS
Luminous Flux	510~560lm
Type	Non-dimmable or Dimmable
Input Voltage	AC:85~264V
Color Rendering Index	Ra>85
Beam Angle	360°
Size	■ 37*134mm For E27
Color Temperature	2600~2850K
Lamp Base	E14/ E27
Base Color	Silver/ Golden/ Black
Material of Housing	Aluminum & Iron
Lamp Cover	Clear/ Milky White/ Frosted
Life Span	50,000 Hours
Operating Temperature	0°C to 45°C
Humidity	10~85%

LED PIR motion sensor bulb

PIR Sensor Bulbs

No specification table was published for this reference. Ask and the current sheet will be emailed.

4W RGBW - P/N CRBU-RF-07

Wi-Fi Smart Bulbs

Luminous flux(LM)	0~220lm Cool White
-------------------	--------------------

4W WWCW - P/N CRBU-RF-06

Wi-Fi Smart Bulbs

Luminous flux(LM)	0~220lm Cool White
-------------------	--------------------

5W RGBW - P/N CRBU-RF-09

Wi-Fi Smart Bulbs

Luminous flux(LM)	0~370lm Cool White
-------------------	--------------------

5W WWCW - P/N CRBU-RF-08

Wi-Fi Smart Bulbs

Luminous flux(LM)	0~370lm Cool White
-------------------	--------------------

6W RGBW - P/N CRBU-RF-04

Wi-Fi Smart Bulbs

Luminous flux(LM)	0~470lm Cool White
-------------------	--------------------

6W WW-CW

Wi-Fi Smart Bulbs

No specification table was published for this reference. Ask and the current sheet will be emailed.

9W CW-WW

Wi-Fi Smart Bulbs

No specification table was published for this reference. Ask and the current sheet will be emailed.

9W RGBW

Wi-Fi Smart Bulbs

No specification table was published for this reference. Ask and the current sheet will be emailed.

LED Smart Wifi Bulb 7W WWCW Dimmable Mi.Light - P/N CRBU-RF-10

Wi-Fi Smart Bulbs

Luminous flux(LM)	0~650lm Cool White
--------------------------	--------------------

LED Smart Wifi Bulb BR30 12W WWCW Dimmable Mi.Light - P/N CRBU-RF-13

Wi-Fi Smart Bulbs

Luminous flux(LM)	0~1100lm Cool White
--------------------------	---------------------

LED Smart Wifi Bulb R63 7W WWCW Dimmable Mi.Light - P/N CRBU-RF-11

Wi-Fi Smart Bulbs

Luminous flux(LM)	0~650lm Cool White
--------------------------	--------------------

LED Smart Wifi Bulb R95 12W WWCW Dimmable Mi.Light - P/N CRBU-RF-12

Wi-Fi Smart Bulbs

Luminous flux(LM)	0~1100lm Cool White
--------------------------	---------------------

RGB glass lamp

Wi-Fi Smart Bulbs

Wineglass light	Model: CRBU-RF-14
Built-in battery	Capacity: 3.7v/1400mA
Features	Color changeable: 9 flashing modes

RGBW glass light

Wi-Fi Smart Bulbs

Wineglass light	Model: CRBU-RF-15
Built-in battery	Capacity: 3.7v/1400mA
Features	Color changeable: 9 flashing modes

1.8W LED Filament Bulb - P/N CRBU-360F-03

LED Filament Bulbs

Power Consumption	1.8W
Light Source	Filament COB 2PCS
Luminous Flux	180~230lm
Type	Non-dimmable
Input Voltage	AC:85~264VAC
Color Rendering Index	Ra>82
Beam Angle	360°
Size	35*118mm
Color Temperature	2700~3000K
Lamp Base	E14

Material	Aluminum + Glass
Lamp Cover	Clear
Life Span	50,000 Hours
Operating Temperature	-20°C to 45°C
Humidity	10~85%
8W LED Filament Bulb P/N	CRBU-360F-03

3.6W - P/N CRBU-360F-01

LED Filament Bulbs

Power Consumption	3.6W
Light Source	Filament COB 4PCS
Luminous Flux	350~400lm
Type	Non-dimmable or Dimmable
Input Voltage	AC:185~264VAC
Color Rendering Index	Ra>82
Beam Angle	360°
Size	60*108mm
Color Temperature	2700~3000K
Lamp Base	E26/ E27/B22
Material	Aluminum + Glass
Lamp Cover	Clear
Life Span	50,000 Hours
Operating Temperature	-20°C to 45°C
Humidity	10~85%

3W LED Filament Bulb - P/N CRBU-360F-04

LED Filament Bulbs

Power Consumption	3W
Light Source	Filament COB 2PCS
Luminous Flux	330~360lm
Type	Non-dimmable
Input Voltage	AC:85~264VAC
Color Rendering Index	Ra>82
Beam Angle	360°
Size	35*118mm
Color Temperature	2700~3000K
Lamp Base	E14
Material	Aluminum + Glass
Lamp Cover	Clear
Life Span	50,000 Hours
Operating Temperature	-20°C to 45°C
Humidity	10~85%

6W LED Filament Bulb - P/N CRBU-360F-02

LED Filament Bulbs

Power Consumption	6W
Light Source	Filament COB 4PCS

Luminous Flux	600~700lm
Type	Non-dimmable or Dimmable
Input Voltage	AC:85~264VAC
Color Rendering Index	Ra>82
Beam Angle	360°
Size	60*108mm
Color Temperature	2700~3000K
Lamp Base	E26/ E27/B22
Material	Aluminum + Glass
Lamp Cover	Clear
Life Span	50,000 Hours
Operating Temperature	-20°C to 45°C
Humidity	10~85%

LED Filament Bulb 1.8W - P/N CRBU-360F-05

LED Filament Bulbs

Power Consumption	1.8W
Light Source	Filament COB 2PCS
Luminous Flux	190~210lm
Type	Non-dimmable
Input Voltage	AC:85~264VAC
Color Rendering Index	Ra>80
Beam Angle	360°
Size	35*118mm
Color Temperature	2700~3000K
Lamp Base	E14
Material	Aluminum+Glass
Lamp Cover	Clear
Life Span	50,000 Hours
Operating Temperature	-20°C to 45°C
Humidity	10~85%

LED Filament Bulb 6W - P/N CRBU-360F-06

LED Filament Bulbs

Power Consumption	6W
Light Source	Filament COB 6PCS
Luminous Flux	610~720lm
Type	Non-dimmable or Dimmable
Input Voltage	AC:85~264VAC
Color Rendering Index	Ra>80
Beam Angle	360°
Size	60*108mm
Color Temperature	2700~3000K
Lamp Base	E26/ E27/B22
Material	Aluminum+ Glass
Lamp Cover	Clear/ Milky White/ Frosted
Life Span	50,000 Hours
Operating Temperature	0°C to 45°C

Humidity	10~85%
-----------------	--------

E14 3W Ceramic Bulbs - P/N CRBU-CE-04

Ceramic LED Bulbs

Luminous flux(LM)	300lm Cool White
--------------------------	------------------

E14 Ceramic Bulbs 3W - P/N CRBU-CE-03

Ceramic LED Bulbs

Luminous flux(LM)	300lm Cool White
--------------------------	------------------

E14 Ceramic Bulbs 3W G45 - P/N CRBU-CE-05

Ceramic LED Bulbs

Luminous flux(LM)	300lm Cool White
--------------------------	------------------

E27 3W - P/N CRBU-CE-01

Ceramic LED Bulbs

Luminous flux(LM)	300lm Cool White
--------------------------	------------------

E27 Ceramic Bulbs 5W - P/N CRBU-CE-02

Ceramic LED Bulbs

Luminous flux(LM)	550lm Cool White
--------------------------	------------------

E27 Ceramic Bulbs 7W - P/N CRBU-CE-06

Ceramic LED Bulbs

Luminous flux(LM)	650lm Cool White
--------------------------	------------------

E27 Ceramic Bulbs 9W - P/N CRBU-CE-07

Ceramic LED Bulbs

Luminous flux(LM)	830lm Cool White
--------------------------	------------------

2W Vintage Edison Led Bulb - P/N CRBU-360E-02

Vintage Edison LED Bulbs

Power Consumption	2W
Light Source	30pcs D3 dip LED
Luminous Flux	100~130Lm
Input Voltage	200-240VAC
Beam Angle	360°
Size	60*108mm
Color Temperature	2400K
Lamp Base	E26/ E27
Material	Iron+Glass
Lamp Cover	Clear
Life Span	50,000 Hours
Operating Temperature	-20°C to 45°C
Humidity	10~85%

3W Vintage Edison - P/N CRBU-360E-01

Vintage Edison LED Bulbs

Power Consumption	3W
Light Source	47pcs D3 dip LED
Luminous Flux	160~200Lm
Input Voltage	200-240VAC
Beam Angle	360°
Size	64x140mm
Color Temperature	2400K
Lamp Base	E26/ E27
Material	Iron+Glass
Lamp Cover	Clear
Life Span	50,000 Hours
Operating Temperature	-20°C to 45°C
Humidity	10~85%

Vintage Edison 3W - P/N CRBU-360E-04

Vintage Edison LED Bulbs

Power Consumption	3W
Light Source	160pcs SMD3014
Luminous Flux	100~130Lm
Input Voltage	200-240VAC
Beam Angle	360°
Size	64x140mm
Color Temperature	2400K
Lamp Base	E26/ E27
Material	Iron+Glass
Lamp Cover	Clear
Life Span	50,000 Hours
Operating Temperature	-20°C to 45°C
Humidity	10~85%

Vintage Edison Bulb 3W - P/N CRBU-360E-03

Vintage Edison LED Bulbs

Power Consumption	3W
Light Source	160pcs SMD3014
Luminous Flux	100~130Lm
Input Voltage	200-240VAC
Beam Angle	360°
Size	64*140mm
Color Temperature	2400K
Lamp Base	E26/ E27
Material	Iron+Glass
Lamp Cover	Clear
Life Span	50,000 Hours
Operating Temperature	-20°C to 45°C
Humidity	10~85%

3W RGB led spot light

COB Spotlights

No specification table was published for this reference. Ask and the current sheet will be emailed.

5W GU10 COB LED SPOTLIGHTS - P/N CRSP-GU-04

COB Spotlights

Luminous flux(LM)	520lm Cool White
-------------------	------------------

5W RGB led spot light

COB Spotlights

No specification table was published for this reference. Ask and the current sheet will be emailed.

CRG4-004

COB Spotlights

No specification table was published for this reference. Ask and the current sheet will be emailed.

GU10 5W COB LED SPOTLIGHTS - P/N CRSP-GU-02

COB Spotlights

Luminous flux(LM)	520lm Cool White
-------------------	------------------

GU10 6W COB - P/N CRSP-GU-01

COB Spotlights

Luminous flux(LM)	620lm Cool White
-------------------	------------------

GU10 COB 5W LED SPOTLIGHTS - P/N CRSP-GU-03

COB Spotlights

Luminous flux(LM)	520lm Cool White
-------------------	------------------

MR16 6W COB - P/N CRSP-MR-01

COB Spotlights

Luminous flux(LM)	620lm Cool White
-------------------	------------------

8W RGBWW - P/N CRBU-BT-08

Bluetooth Bulbs

Luminous flux(LM)	0~500lm Cool White
-------------------	--------------------